



SEQUENOM[®]

MassARRAY[®] Bibliography

Genotyping	1
DNA Methylation	23
Gene Exp. Analysis	26
Comparative Sequencing	29

Revision Date: November 2008



2008

- BAGGE, M., ET AL. (2008)** “Functional markers in wheat: technical and economic aspects” *Mol Breeding* **22**:319-328.
- BARRETT, J., ET AL. (2008)** “Genome wide association defines more than 30 distinct susceptibility loci for Crohn’s disease” *Nat Genetics* **40**:955-962.
- BECKLY, J. B., ET AL. (2008)** “Two-stage candidate gene study of chromosome 3p demonstrates an association between nonsynonymous variants in the *MST1R* gene and Crohn's disease” *Inflamm Bowel Dis* **14**(4):500-507.
- BELL, T. J., ET AL. (2008)** “Cytoplasmic BK_{Ca} channel intron-containing mRNAs contribute to the intrinsic excitability of hippocampal neurons” *Proc Natl Acad Sci USA* **105**(6):1901-1906.
- BROWN, J. J., ET AL. (2008)** “Genetic susceptibility to keloid scarring: *SMAD* gene SNP frequencies in Afro-Caribbeans” *Exp Dermatol.* **17**(7):610-613.
- CHINOY, H., ET AL. (2008)** “The protein tyrosine N22 gene is associated with juvenile and adult idiopathic inflammatory myopathy independent of the HLA8.1 haplotype in British Caucasian patients” *Arthritis Rheum* **58**(10):3247-3254.
- CUNNINGHAM GRAHAM, D., ET AL. (2008)** “Polymorphism at the TNF superfamily gene *TNFSF4* confers susceptibility to systemic lupus erythematosus” *Nat Genetics* **40**:83-89.
- CURRIE, D., ET AL. (2008)** “Investigation of *Adducin 2* (beta) DNA polymorphisms in genetic predisposition to diabetic nephropathy in Type 1 diabetes” *Diab Med* **25**(8):1001-1005.
- DAY, T. G., ET AL. (2008)** “Autoinflammatory genes and susceptibility to psoriatic juvenile idiopathic arthritis” *Arthritis Rheum* **58**(7):2142-2146.
- DING, L., ET AL. (2008)** “Somatic mutations affect key pathways in lung adenocarcinoma” *Nature* **455**:1069-1075.
- DÖRING, A., ET AL. (2008)** “*SLC2A9* influences uric acid concentrations with pronounced sex-specific effects” *Nat Genetics* **40**:430-436.



- DONN, R., ET AL. (2008)** “Genetic loci contributing to hemophagocytic lymphohistiocytosis do not confer susceptibility to systemic-onset juvenile idiopathic arthritis” *Arthritis Rheum* **58**(3):869-874.
- DRÖGEMÜLLER, C., ET AL. (2008)** “A mutation in hairless dogs implicates *FOX13* in ectodermal development” *Science* **321**:1462.
- DUTT, A., ET AL. (2008)** “Drug sensitive *FGFR2* mutations in endometrial carcinoma” *Proc Natl Acad Sci USA* **105**(25):8713-8717.
- ELLIOTT, H., ET AL. (2008)** “Pathogenic mitochondrial DNA mutations are common in the general population” *Am J Hum Genet* **83**:254-260.
- IKEDA, S., ET AL. (2008)** “Screening of 214 single nucleotide polymorphisms in 44 candidate cancer susceptibility genes: a case-control study on gastric and colorectal cancers in the Japanese population” *Am J Gastroenterol* **103**(6):1476-1487.
- INTERNATIONAL CONSORTIUM FOR SYSTEMIC LUPUS ERYTHEMATOSUS GENETICS (2008)** “Genome-wide association scan in women with systemic lupus erythematosus identifies susceptibility variants in *ITGAM*, *PXK*, *KIAA1542* and other loci” *Nat Genet* **40**:204-210.
- GARCIA-BARCELÓ, M. M., ET AL. (2008)** “Mapping of a Hirschsprung's disease locus in 3p21” *Eur J Hum Genet* **16**(7):833-840.
- GUOYANG, L., ET AL. (2008)** “Single nucleotide polymorphisms in the human progesterone receptor gene and spontaneous preterm birth” *Reprod Sci* **15**(2):147-155.
- GRILL, S., ET AL. (2008)** “High throughput non-invasive determination of foetal Rhesus D status using automated extraction of cell-free foetal DNA in maternal plasma and mass spectrometry” *Arch Gynecol Obstet* (ePub).
- HANCOCK L. ET AL. (2008)** “Clinical and molecular characteristics of isolated colonic Crohn's disease” *Inflamm Bowel Dis*. (ePub).
- HICKS, P. J., ET AL. (2008)** “Association analysis of the ephrin B2 gene in African-Americans with end-stage renal disease” *Am J Nephrol* **28**(6):914-920.



- HIDER, S. L., ET AL. (2008)** "Polymorphisms within the adenosine receptor 2a gene are associated with adverse events in RA patients treated with MTX" *Rheumatology* **47**:1156-1159.
- HILLMER, A. M., ET AL. (2008)** "Susceptibility variants for male-pattern baldness on chromosome 20p11" *Nat Genet* Oct 12 (ePub).
- HONG, X., ET AL. (2008)** "Cysteinyl leukotriene receptor 1 gene variation and risk of asthma in Chinese population" *Eur Respir J* (ePub).
- HOVAV, R., ET AL. (2008)** "Partitioned expression of duplicated genes during development and evolution of a single cell in a polyploid plant" *Proc Natl Acad Sci USA* **105**(16):6191-6195.
- JUSTENHOVEN, C., ET AL. (2008)** "The *CYP1B1* 1358 GG genotype is associated with estrogen receptor negative breast cancer" *Breast Cancer Res Treat* **111**(1): 171-177.
- KATHIRESAN, S., ET AL. (2008)** "Six new loci associated with blood low-density lipoprotein cholesterol, high density lipoprotein cholesterol or triglycerides in humans" *Nat Genet* **40**: 189-197.
- KAUWE, J., ET AL. (2008)** "Variation in *MAPT* is associated with cerebrospinal fluid tau levels in the presence of amyloid beta deposition" *Proc Natl Acad Sci USA* **105**(23):8050-8054.
- KARLSON, E. W. ET AL. (2008)** "Associations between HLA, PTPN22, CTLA4 genotypes and RA phenotypes of autoantibody status, age at diagnosis, and erosions in a large cohort study" *Ann Rheum Dis* **67**:358-363.
- KIM, T.J., ET AL. (2008)** "Interleukin 1 polymorphisms in patients with ankylosing spondylitis in Korea" *J Rheumatol* **35**(8):1603-1608.
- LAPPALAINEN, M., ET AL. (2008)** "Association of *IL23R*, *TNFRSF1A*, and HLA-DRB1*0103 allele in variants with inflammatory bowel disease phenotypes in the Finnish population" *Inflamm Bowel Dis* **14**(8):1118-1124.
- MOEN, T., ET AL. (2008)** "A linkage map of the Atlantic salmon (*Salmo salar*) based on EST-derived SNP markers" *BMC Genomics* **9**:223.



- NA K.S., ET AL. (2008)** "Analysis of single nucleotide polymorphisms in Toll-like receptor 4 shows no association with ankylosing spondylitis in a Korean population." *Rheumatol Int* **28**(7):627-630.
- ONG, K.L., ET AL. (2008)** "Association of a polymorphism in the lipin 1 gene with systolic blood pressure in men" *Am J Hypertens* **21**(5):539-545.
- ONG, K.L. ET AL. (2008)** "Association of F11 receptor gene polymorphisms with central obesity and blood pressure" *J Intern Med* **263**(3):322-32.
- POTTER, C., ET AL. (2008)** "Association of RF and anti-CCP positivity, but not carriage of shared epitope or PTPN22 susceptibility variants, with anti-TNF response in RA" *Ann Rheum Dis* (ePub).
- QU, Y., ET AL. (2008)** "The haplotype identified in *LEPR* gene is associated with type 2 diabetes mellitus in Northern Chinese" *Diabetes Res Clin Pract* **81**(1):33-37.
- SÄVBLOM, C., ET AL. (2008)** "Association between polymorphisms in the prostate-specific antigen (PSA) promoter and release of PSA" *Int J Androl* (ePub).
- SCHAEFFELER, E., ET AL. (2008)** "Highly multiplexed genotyping of thiopurine s-methyltransferase variants using MALDI-TOF mass spectrometry: reliable genotyping in different ethnic groups" *Clin Chem* **54**(10):1637-1647.
- SINHA, S., ET AL. (2008)** "Polymorphisms of TNF-enhancer and gene for FcγRIIIa correlate with the severity of *falciparum* malaria in the ethnically diverse Indian population" *Malar J* **7**:13.
- SÖDERLUND-STRAND, A., ET AL. (2008)** "High-throughput genotyping of oncogenic human papilloma viruses with MALDI-TOF mass spectrometry" *Clin Chem.* **54**(1):86-92.
- SONG, Y.-Q., ET AL. (2008)** "Association between promoter-1607 polymorphism of MMP1 and lumbar disc disease in Southern Chinese" *BMC Medical Genetics* **9**:38.
- STEMKE-HALE, K., ET AL. (2008)** "An integrative genomic and proteomic analysis of *PIK3CA*, *PTEN*, and *AKT* mutations in breast cancer" *Cancer Res* **68**(15): 6084-91.
- TODD, S., ET AL. (2008)** "*BACE1* polymorphisms do not influence platelet membrane beta-secretase activity or genetic susceptibility for Alzheimer's disease in the northern Irish population" *Neuromolecular Med* (ePub).
-



- THOMSON, W., ET AL. (2008)** "Rheumatoid arthritis association at 6q23" *Nat Genet* **39**:1431-1433.
- UDA, M., ET AL. (2008)** "Genome-wide association study shows *BCL11A* associated with persistent fetal hemoglobin and amelioration of the phenotype of β -thalassemia" *Proc Natl Acad Sci USA* **105**(5):1620-1625.
- WEBER, F., ET AL. (2008)** "IL2RA and IL7RA genes confer susceptibility for multiple sclerosis in two independent European populations" *Genes Immun* **9**(3):259-263.
- WILLIAMS, N. M., ET AL. (2008)** "Analysis of copy number variation using quantitative interspecies competitive PCR" *Nucl Acids Res* **36**(17).
- WRIGHT, W. T., ET AL. (2008)** "Multiplex MassARRAY spectrometry (iPLEX) produces a fast and economical test for 56 familial hypercholesterolaemia-causing mutations" *Clin Genet* **74**(5):463-468.
- ZHANG, H., ET AL. (2008)** "The NEI/NCBI dbGAP database: Genotypes and haplotypes that may specifically predispose to risk of neovascular age-related macular degeneration" *BMC Medical Genetics* **9**:51.
- ZHANG, F., ET AL. (2008)** "An association study of ADSS gene polymorphisms with schizophrenia" *Behav Brain Funct* **4**.
- ZHANG, S.-J., ET AL. (2008)** "Gain-of function mutation of *GATA-2* in acute myeloid transformation of chronic myeloid leukemia" *Proc Natl Acad Sci USA* **105**(6):2076-2081.
- ZOU, C.C., ET AL. (2008)** "Polymorphisms of the Ghrelin/Obestatin gene and ghrelin levels in Chinese children with short stature. *Clin Endocrinol (Oxf)*.(ePub).

2007

- ALCAIS, A., ET AL. (2007)** "Stepwise replication identifies a low-producing lymphotoxin- α allele as a major risk factor for early-onset leprosy" *Nat Genet* **39**:517-522.
- ALI, S., ET AL. (2007)** "Polymorphisms in proinflammatory genes and susceptibility to typhoid fever and paratyphoid fever." *J Interferon Cytokine Res* **27**(4): 271-9.



- ATWAL G. S., ET AL. (2007)** "Haplotype structure and selection of the *MDM2* oncogene in humans" *Proc Natl Acad Sci USA* **104**(11):4524-4529.
- AU, W.Y., ET AL. (2007)** "G6PD deficiency from lyonization after hematopoietic stem cell transplantation from female heterozygous donors". *Bone Marrow Transplant* **40**(7): 677-81.
- BOCHUD, P. Y., ET AL. (2007)** "Polymorphisms in Toll-like receptor 9 influence the clinical course of HIV-1 infection" *AIDS* **21**(4):441-446.
- BHATTACHARJEE, A., ET AL. (2007)** "Myocilin variants in Indian patients with open-angle glaucoma" *Arch Ophthalmol* **135**(6):823-829.
- BUTT, C., ET AL. (2007)** "VEGF, FGF1, FGF2, and EGF gene polymorphisms and psoriatic arthritis" *BMC Musculoskelet Disord* **8**:1.
- COX, A., ET AL. (2007)**. "A common coding variant in *CASP8* is associated with breast cancer risk." *Nat Genet* **39**(3): 352-8.
- CUMMINGS, J.R., ET AL. (2007)** "Confirmation of the role of *ATG16L1* as a Crohn's disease susceptibility gene". *Inflamm Bowel Dis.* **13**(8):941-6.
- CUMMINGS, J.R., ET AL. (2007)** "Contribution of the novel inflammatory bowel disease gene *IL23R* to disease susceptibility and phenotype". *Inflamm Bowel Dis* **13**(9):1063-8.
- EASTELL, T., ET AL. (2007)** "SNPs in the *FOXP3* gene region show no association with Juvenile Idiopathic Arthritis in a UK Caucasian population." *Rheumatology (Oxford)*.
- EASTON, D. F., ET AL. (2007)** "Genome-wide association study identifies novel breast cancer susceptibility loci" *Nature* **447**:1087-1095.
- FRASER CUMMINGS, J. R., ET AL. (2007)** "Contribution of the novel inflammatory bowel disease gene *IL23R* to disease susceptibility and phenotype" *Inflamm Bowel Dis* **13**(9):1063-1068.
- FREIMER, N. B., ET AL. (2007)** "A quantitative trait locus for variation in dopamine metabolism mapped in a primate model using reference sequences from related species" *Proc Natl Acad Sci USA* **104**(40):15811-15816.



- FU, J.F., ET AL. (2007)** "MassARRAY assay: a more accurate method for JAK2V617F mutation detection in Chinese patients with myeloproliferative disorders". *Leukemia*, ePub.
- GARCIA BARCELÓ, M., ET AL. (2007)** "Application of HapMap data to the evaluation of 8 candidate genes for pediatric slow transit constipation" *J Pediatr Surg* **42**(4):666-671.
- GARCIA BARCELÓ, M., ET AL. (2007)** "Correlation between genetic variations in Hox clusters and Hirschsprung's disease" *Human Genet* (ePub).
- GODDARD, K. A., ET AL. (2007)** "Candidate-gene association study of mothers with pre-eclampsia, and their infants, analyzing 775 SNPs in 190 genes." *Hum Hered* **63**(1): 1-16.
- GUMIENIAK, O., ET AL. (2007)** "Ala92 type 2 deiodinase allele increases risk for the development of hypertension." *Hypertension* **49**(3): 461-6.
- GRAHAM, R. R., ET AL. (2007)** "Three functional variants of IFN regulatory factor 5 (*IRF5*) define risk and protective haplotypes for human lupus" *Proc Natl Acad Sci USA* **104**(16):6758-6763.
- GRAHAM, D.S., ET AL. (2007)** "Association of polymorphisms across the tyrosine kinase gene, *TYK2* in UK SLE families" *Rheumatology (Oxford)* **46**:927-930.
- GUPTA, A., ET AL. (2007)** "Molecular diagnosis of Wilson disease using prevalent mutations and informative single nucleotide polymorphism markers" *Clin Chem* **53**(9) 1601-1608.
- HAKONARSON, H., ET AL. (2007)** "A genome-wide association study identifies *KIAA0350* as a type 1 diabetes gene" *Nature* **448**:591-595.
- HAIMAN, C. A., ET AL. (2007)** "Multiple regions within 8q24 independently affect risk for prostate cancer" *Nat Genet* **39**(5):638-644.
- HAYES, B. J., ET AL. (2007)** "SNP detection exploiting multiple sources of redundancy in large EST collections improves validation rates." *Bioinformatics*.
- HINKS, A., ET AL. (2007)** "Investigation of genetic variation across the protein tyrosine phosphatase gene in patients with rheumatoid arthritis in the UK." *Ann Rheum Dis* **66**(5): 683-6.



- HOUTCHENS, K. A., ET AL. (2007)** “High throughput killer cell immunoglobulin-like receptor genotyping by MALDI-TOF mass spectrometry with discovery of novel alleles” *Immunogenetics* **59**:525-537.
- HUANG, Q. Y., ET AL. (2007)** “The association of common polymorphisms in the *QPCT* gene with bone mineral density in the Chinese population” *J Hum Genet* **52**(9):757-762.
- HÜEBNER, C., ET AL. (2007)** “Triallelic single nucleotide polymorphisms and genotyping error in genetic epidemiology studies *MDR1* (*ABCB1*) G2677/T/A as an example” *Cancer Epidemiol Biomarkers Prev* **16**(6):1185-1192.
- INTERNATIONAL MULTIPLE SCLEROSIS GENETICS CONSORTIUM (2007)** “Risk alleles for multiple sclerosis identified by a genomewide study” *N Engl J Med* July 31 (ePub).
- JAREMKO, M. ET AL. (2007)** “Polymorphism of the DNA repair enzyme *XRCC1* is associated with treatment prediction in anthracycline and cyclophosphamide/methotrexate/5-fluorouracil-based chemotherapy of patients with primary invasive breast cancer” *Pharmacogenomics and Genomics* **17**:529-538.
- JAZDZEWSKI, K., ET AL. (2007)** “beta-2-adrenergic receptor gene polymorphism confers susceptibility to Graves disease.” *Int J Mol Med* **19**(1): 181-6.
- JONES, E.S., ET AL. (2007)** “A comparison of simple sequence repeat and single nucleotide polymorphism marker technologies for the genotypic analysis of maize (*Zea mays L.*)”. *Theor Appl Genet.* **115**(3):361-71.
- KARLSSON, E. K., ET AL. (2007)** “Efficient mapping of mendelian traits in dogs through genome-wide association” *Nat Genet* **39**(11):1321-1328.
- KHOR, C. C., ET AL. (2007)** “A *Mal* functional variant is associated with protection against invasive pneumococcal disease, bacteremia, malaria and tuberculosis” *Nat Genet* **39**(4):523-528.
- KIM, H. S., AND J. C. FRAY (2007)** “Genetic variation in the cysteine biosynthesis pathway causes sensitivity to pharmacological compounds” *Proc Natl Acad Sci USA* **104**(49):19387-19391.



- KRAMER U., ET AL. (2007)** "Strong associations of psoriasis with antigen processing LMP and transport genes TAP differ by gender and phenotype" *Genes Immu* **8**:513-517.
- LAMB, R., ET AL. (2007)** "Positive association of SLC26A2 gene polymorphisms with susceptibility to systemic-onset juvenile idiopathic arthritis." *Arthritis Rheum* **56**(4): 1286-91.
- LUNDMARK F., ET AL. (2007)** "Variation in interleukin 7 receptor α chain (*IL7R*) influences risk of multiple sclerosis" *Nat Genet* **39**(9):1108-1113.
- MALLER, J. B., ET AL. (2007)** "Variation in complement factor 3 is associated with risk of age-related macular degeneration" *Nature Genet* **39**(10):1200-1201.
- MOFFATT, M., ET AL. (2007)** "Genetic variants regulating *ORMDL3* expression contribute to the risk of childhood asthma" *Nature* **448**:470-474.
- MONRAATS, P.S., ET AL. (2007)** "Interleukin 10: a new risk marker for the development of restenosis after percutaneous coronary intervention". *Genes Immun.* **8**(1):44-50.
- NASEEM, H., ET AL. (2007)** "The PTPN22*C1858T Functional polymorphism is associated with susceptibility to inflammatory polyarthritis, but neither this nor other variants spanning the gene is associated with disease outcome". *Ann. Rheum. Dis.*, ePub.
- O' DOHERTY C., ET AL. (2007)** "ITGA4 polymorphisms and susceptibility to multiple sclerosis" *J Neuroimmunol* **189**:151-157.
- OLLIKAINEN, M., ET AL. (2007)** "Mechanisms of inactivation of *MLH1* in hereditary nonpolyposis colorectal carcinoma: a novel approach" *Oncogene* **26**:4541-4549.
- OLSEN, H. G., ET AL. (2007)** "Genetic support for a quantitative trait nucleotide in the *ABCG2* gene affecting milk composition in dairy cattle" *BMC Genetics* **8**:32.
- PLENGE, R. M., ET AL. (2007)** "Two independent alleles at 6q23 associated with risk of rheumatoid arthritis" *Nat Genet* **39**(12):1477-1482.
- POTTER, C., ET AL. (2007)** "Investigation of association between the TRAF family genes and RA susceptibility." *Ann Rheum Dis.* **66**(10):1322-6.
- RIOUX, J. D., ET AL. (2007)** "Genome-wide association study identifies new susceptibility loci for Crohn disease and implicates autophagy in disease pathogenesis." *Nat Genet* **39**(5): 596-604.
-



- ROHRER, G. A., ET AL. (2007)** "Single nucleotide polymorphisms for pig identification and parentage exclusion." *Anim Genet* **38**(3): 253-8.
- SEKINE, H., ET AL. (2007)** "Role for Msh5 in the regulation of Ig class switch recombination" *Proc Natl Acad Sci USA* **104**(17):7193-7198.
- SLADEK, R., ET AL. (2007)** "A genome-wide association study identifies novel risk loci for type 2 diabetes." *Nature* **445**(7130): 881-5.
- SNELGROVE, T., ET AL. (2007)** "Association of toll-like receptor 4 variants and ankylosing spondylitis: a case-control study." *J Rheumatol* **34**(2): 368-70.
- SUN, T., ET AL. (2007)** "A six-nucleotide insertion-deletion polymorphism in the CASP8 promoter is associated with susceptibility to multiple cancers" *Nat Genet* **39**(5):605-613.
- SUTHERLAND A., ET AL. (2007)** "Genomic polymorphism at the interferon-induced helicase (IFIH1) locus contributes to Grave's disease susceptibility" *J Clin Endocrinol Metab* **92**:3338-3341.
- THABET, M. M., ET AL. (2007)** "FCRL3 promoter 169 CC homozygosity is associated with susceptibility to rheumatoid arthritis in Dutch Caucasians." *Ann Rheum Dis* **66**(6): 803-6.
- THOMAS, R. K., ET AL. (2007)**. "High-throughput oncogene mutation profiling in human cancer." *Nat Genet* **39**(3): 347-51.
- TIKKA-KLEEMOLA, P., ET AL. (2007)** "The enhancement of homogenous mass extension reaction: comparison of two enzymes." *Mol Cell Probes* **21**(3): 216-21.
- TINDALL E.A., ET AL. (2007)** "Novel Plexor SNP genotyping technology: comparisons with TaqMan and homogenous MassEXTEND MALDI-TOF mass spectrometry." *Hum Mutat.* **28**(9):922-7.
- TREMELLING, M., ET AL. (2007)** "IL23R variation determines susceptibility but not disease phenotype in inflammatory bowel disease." *Gastroenterology* **132**(5): 1657-64.
- VIVANTE, A., ET AL. (2007)** "High-throughput, sensitive and quantitative assay for the detection of BCR-ABL kinase domain mutations." *Leukemia* 2007; **21**:1318-21.
- VOLKMAN, S. K., ET AL. (2007)** "A genome-wide map of diversity in *Plasmodium falciparum*." *Nat Genet* **39**(1): 113-9.



- VOLLMERT, C., ET AL. (2007)** "Calpain-10 variants and haplotypes are associated with polycystic ovary syndrome in Caucasians" *Am J Physiol Endocrinol Metab* 292:836-844.
- WARTHMAN, N., ET AL. (2007)** "MSQT for choosing SNP assays from multiple DNA alignments" *Bioinformatics* 23(20):2784-2787.
- WEEDON, M. N., ET AL. (2007)** "A common variant of *HMGA2* is associated with adult and childhood height in the general population" *Nat Genet* 39(10):1245-1250.
- WINKELMAN J., ET AL. (2007)** "Genome-wide association study of restless legs syndrome identifies common variants in three genomic regions" *Nat Genet* 39(8):1000-1006.
- YOON, P. Y., ET AL. (2007)** "Aryl hydrocarbon receptor nuclear translocator-like (BMAL1) is associated with susceptibility to hypertension and type 2 diabetes" *Proc Natl Acad Sci USA* 104(36):14412-14417.
- ZHAO, Z.Z., ET AL. (2007)** "Genetic variation in tumour necrosis factor and lymphotoxin is not associated with endometriosis in an Australian sample." *Hum Reprod.* 22(9):2389-97.

2006

- ABEL, K., ET AL. (2006)** "Genome-wide SNP association: identification of susceptibility alleles for osteoarthritis." *Autoimmun Rev* 5(4): 258-63.
- ARKING, D. E., ET AL. (2006)** "A common genetic variant in the *NOS1* regulator *NOS1AP* modulates cardiac repolarization" *Nat Genet* 38(6):644-651.
- BARROSO, I., ET AL. (2006)** "Meta-analysis of the Gly482Ser variant in *PPARGC1A* in type 2 diabetes and related phenotypes." *Diabetologia* 49(3): 501-5.
- BUTT, C., ET AL. (2006)** "PPAR-gamma gene polymorphisms and psoriatic arthritis." *J Rheumatol* 33(8): 1631-3.
- CHEUNG, B. M., ET AL. (2006)** "Association of hypertension with single nucleotide polymorphisms in the quantitative trait locus for abdominal obesity-metabolic syndrome on chromosome 17." *J Hum Hypertens* 20(6): 419-25.



- CHOI, C. B., ET AL. (2006)** "The -169C/T polymorphism in FCRL3 is not associated with susceptibility to rheumatoid arthritis or systemic lupus erythematosus in a case-control study of Koreans." *Arthritis Rheum* **54**(12): 3838-41.
- COSTAS, J., ET AL. (2006)** "SUMO4 and MAP3K7IP2 single nucleotide polymorphisms and susceptibility to rheumatoid arthritis." *J Rheumatol* **33**(6): 1048-51.
- DE BAKKER, P. I., ET AL. (2006)** "Transferability of tag SNPs in genetic association studies in multiple populations" *Nat Genet* **38**(11):1298-1303.
- DAWES, R., ET AL. (2006)** "Altered CD45 expression in C77G carriers influences immune function and outcome of hepatitis C infection." *J Med Genet* **43**(8): 678-84.
- EYRE, S., ET AL. (2006)** "Association of the FCRL3 gene with rheumatoid arthritis: a further example of population specificity?" *Arthritis Res Ther* **8**(4): R117.
- EYRE, S., ET AL. (2006)** "Investigation of the MHC2TA gene, associated with rheumatoid arthritis in a Swedish population, in a UK rheumatoid arthritis cohort." *Arthritis Rheum* **54**(11): 3417-22.
- FREEDMAN, M. L., ET AL. (2006)** "Admixture mapping identifies 8q24 as a prostate cancer risk locus in African American men" *Proc Natl Acad Sci USA* **104**(38):14068-14073.
- GEORGIEVA, L., ET AL. (2006)** "Convergent evidence that oligodendrocyte lineage transcription factor 2 (*OLIG2*) and interacting genes influence susceptibility to schizophrenia" *Proc Natl Acad Sci USA* **103**(33):12469-12474.
- GRAHAM, R. R., ET AL. (2006)** "A common haplotype of interferon regulatory factor 5 (*IRF5*) regulates splicing and expression and is associated with increased risk of systemic lupus erythematosus" *Nat Genet* **38**(5):550-555.
- GRALLERT, H., ET AL. (2006)** "IL-6 promoter polymorphisms and quantitative traits related to the metabolic syndrome in KORA S4." *Exp Gerontol* **41**(8): 737-45.
- HINKS, A., ET AL. (2006)** "Fine mapping of genes within the IDDM8 region in rheumatoid arthritis." *Arthritis Res Ther* **8**(5): R145.
- KANG, C. P., ET AL. (2006)** "A functional haplotype of the PADI4 gene associated with increased rheumatoid arthritis susceptibility in Koreans." *Arthritis Rheum* **54**(1):90-6.



- KEDDA, M. A., ET AL. (2006)** "ADAM33 haplotypes are associated with asthma in a large Australian population." *Eur J Hum Genet* **14**(9): 1027-36.
- KEMP, S. F., ET AL. (2006)** "Efficacy and safety of mecasermin rinfabate." *Expert Opin Biol Ther* **6**(5): 533-8.
- LAHERMO, P., ET AL. (2006)** "A quality assessment survey of SNP genotyping laboratories." *Hum Mutat* **27**(7): 711-4.
- LIMA, J. J., ET AL. (2006)** "Influence of leukotriene pathway polymorphisms on response to montelukast in asthma." *Am J Respir Crit Care Med* **173**(4): 379-85.
- LIU, Y., ET AL. (2006)** "A functional polymorphism in the lymphotoxin-alpha gene is associated with carotid artery wall thickness: the Diabetes Heart Study." *Eur J Cardiovasc Prev Rehabil* **13**(4): 655-7.
- Lo, Y. M. (2006)** "Recent developments in fetal nucleic acids in maternal plasma: implications to noninvasive prenatal fetal blood group genotyping." *Transfus Clin Biol* **13**(1-2): 50-2.
- MALLER, J., ET AL. (2006)** "Common variation in three genes, including a noncoding variant in *CFH*, strongly influences risk of age-related macular degeneration" *Nat Genet* **38**(9):1055-1059.
- MICHIKAWA, Y. ET AL. (2006)** "Reliable and fast allele-specific extension of 3'-LNA modified oligonucleotides covalently immobilized on a plastic base, combined with biotin-dUTP mediated optical detection" *Anal Sci* **22**(12):1537-45.
- MORAR, N., ET AL. (2006)** "Investigation of the chromosome 17q25 PSORS2 locus in atopic dermatitis." *J Invest Dermatol* **126**(3): 603-6.
- NATIVIDAD, A., ET AL. (2006)** "A coding polymorphism in matrix metalloproteinase 9 reduces risk of scarring sequelae of ocular *Chlamydia trachomatis* infection." *BMC Med Genet* **7**: 40.
- RAGOUSSIS, J., ET AL. (2006)** "Matrix-assisted laser desorption/ionisation, time-of-flight mass spectrometry in genomics research." *PLoS Genet.* **2**(7):e100.



- RAHMAN, P., ET AL. (2006)** "TNF α polymorphisms and risk of psoriatic arthritis." *Ann Rheum Dis* **65**(7): 919-23.
- RYLANDER-RUDQVIST, T., ET AL. (2006)** "Quality and quantity of saliva DNA obtained from the self-administered Oragene method- A pilot study on the cohort of Swedish men" *Cancer Epidemiol Biomarkers Prev* **15**(9):1742-1745.
- TISHKOFF, S. A., ET AL. (2006)** "Convergent adaptation of human lactase persistence in Africa and Europe" *Nat Genet* **39**:31-40.
- TOSH, K., ET AL. (2006)** "Variants in the *SP110* gene are associated with genetic susceptibility to tuberculosis in west Africa" *Proc Natl Acad Sci USA* **103**(27):10364-10368.
- YU, J., ET AL. (2006)** "A unified mixed-model method for association mapping that accounts for multiple levels of relatedness" *Nat Genet* **38**(2):203-208.
- ZHAO, Z. Z., ET AL. (2006)** "KRAS variation and risk of endometriosis." *Mol Hum Reprod* **12**(11): 671-6.

2005

- BENTO, J. L., ET AL. (2005)** "Genetic analysis of the GLUT10 glucose transporter (SLC2A10) polymorphisms in Caucasian American type 2 diabetes." *BMC Med Genet* **6**: 42.
- BUTT, C., ET AL. (2005)** "Association of nuclear factor-kappa B in psoriatic arthritis." *J Rheumatol* **32**(9): 1742-4.
- CAMPBELL, C. D., ET AL. (2005)** "Demonstrating stratification in a European American population" *Nat Genet* **37**(8):868-872.
- CHEN, J. Y., ET AL. (2005)** "The -844C/T polymorphism in the Fas ligand promoter associates with Taiwanese SLE." *Genes Immun* **6**(2): 123-8.
- CHIM, S. S. C., ET AL. (2005)** "Detection of the placental epigenetic signature of the *maspin* gene in maternal plasma" *Proc Natl Acad Sci USA* **102**(41):14753-14758.
- COSTAS, J., ET AL. (2005)** "Relative efficiency of the linkage disequilibrium mapping approach in detecting candidate genes for schizophrenia in different European populations." *Genomics* **86**(3): 280-6.



- CRAIG, D. W. AND D. A. STEPHAN (2005)** "Applications of whole-genome high-density SNP genotyping." *Expert Rev Mol Diagn* **5**(2): 159-70.
- CURRAN, J. E., ET AL. (2005)** "Genetic variation in selenoprotein S influences inflammatory response" *Nat Genet* **37**(11):1234-1241.
- EDWARDS, A. O., ET AL. (2005)** "Complement factor H polymorphism and age-related macular degeneration." *Science* **308**(5720): 421-4.
- FRODSHAM, A. J., ET AL. (2005)** "Class II cytokine receptor gene cluster is a major locus for hepatitis B persistence" *Proc Natl Acad Sci USA* **103**(24):9148-9153.
- GHEBRANIOUS, N., ET AL. (2005)** "Detection of ApoE E2, E3 and E4 alleles using MALDI-TOF mass spectrometry and the homogeneous mass-extend technology." *Nucleic Acids Res* **33**(17): e149.
- HAMID, Y. H., ET AL. (2005)** "Studies of relationships between variation of the human G protein-coupled receptor 40 Gene and Type 2 diabetes and insulin release." *Diabet Med* **22**(1): 74-80.
- HAWN, T. R., ET AL. (2005)** "A stop codon polymorphism of Toll-like receptor 5 is associated with resistance to systemic lupus erythematosus" *Proc Natl Acad Sci USA* **102**(30):10593-10597.
- HEATON, M. P., ET AL. (2005)** "Use of bovine single nucleotide polymorphism markers to verify sample tracking in beef processing." *J Am Vet Med Assoc* **226**(8): 1311-4.
- HEIJMANS, B. T., ET AL. (2005)** "Meta-analysis of four new genome scans for lipid parameters and analysis of positional candidates in positive linkage regions." *Eur J Hum Genet* **13**(10): 1143-53.
- HUNG, S., ET AL. (2005)** "HLA-B*5801 allele as a genetic marker for severe cutaneous adverse reactions caused by allopurinol" *Proc Natl Acad Sci USA* **102**(11):4134-4139.
- JAREMKO, M., ET AL. (2005)** "MALDI-TOF MS and TaqMan assisted SNP genotyping of DNA isolated from formalin-fixed and paraffin-embedded tissues (FFPET)." *Hum Mutat* **25**(3): 232-8.



- LIAO, H. K., ET AL. (2005)** "Parallel minisequencing followed by multiplex matrix-assisted laser desorption/ionization mass spectrometry assay for beta-thalassemia mutations." *J Hum Genet* **50**(3): 139-50.
- LIU, J., ET AL. (2005)** "SARS transmission pattern in Singapore reassessed by viral sequence variation analysis." *PLoS Med* **2**(2): e43.
- MIN, J. L., ET AL. (2005)** "Association of the Frizzled-related protein gene with symptomatic osteoarthritis at multiple sites." *Arthritis Rheum* **52**(4): 1077-80.
- MUELLER, J. C., ET AL. (2005)** "Linkage disequilibrium patterns and tag SNP transferability among European populations." *Am J Hum Genet* **76**(3): 387-98.
- NATIVIDAD, A., ET AL. (2005)** "Risk of trachomatous scarring and trichiasis in Gambians varies with SNP haplotypes at the interferon-gamma and interleukin-10 loci." *Genes Immun* **6**(4): 332-40.
- NORTON, N., ET AL. (2005)** "No evidence for association between polymorphisms in GRM3 and schizophrenia." *BMC Psychiatry* **5**: 23.
- RAHMAN, P., ET AL. (2005)** "Association of SEEK1 and psoriatic arthritis in two distinct Canadian populations." *Ann Rheum Dis* **64**(9): 1370-2.
- REICH, D., ET AL. (2005)** "A whole genome admixture scan finds a candidate locus for multiple sclerosis susceptibility" *Nat Genet* **37**(10):1113-1118.
- REISER J., ET AL. (2005)** "TRPC6 is a glomerular slit diaphragm-associated channel required for normal renal function" *Nat Genet* **37**(7):739-744.
- SADETZKI, S., ET AL. (2005)** "Genotyping of patients with sporadic and radiation-associated meningiomas." *Cancer Epidemiol Biomarkers Prev* **14**(4): 969-76.
- SALZER, U., ET AL. (2005)** "Mutations in *TNFRSF13B* encoding TACI are associated with common variable immunodeficiency in humans" *Nat Genet* **37**(8):820-828.
- SEBASTIANI, P., ET AL. (2005)** "genetic dissection and prognostic modeling of overt stroke in sickle cell anemia" *Nat Genet* **37**(4):435-440.
- SHI, J., ET AL. (2005)** "Cyclooxygenase-1 gene polymorphisms in patients with different asthma phenotypes and atopy." *Eur Respir J* **26**(2): 249-56.



- STARINSKY, S., ET AL. (2005)** "Genotype phenotype correlations in Israeli colorectal cancer patients." *Int J Cancer* **114**(1): 58-73.
- TSUI, N. B., ET AL. (2005)** "Detection of trisomy 21 by quantitative mass spectrometric analysis of single-nucleotide polymorphisms." *Clin Chem* **51**(12): 2358-62.
- VAN PUIJENBROEK, M., ET AL. (2005)** "Mass spectrometry-based loss of heterozygosity analysis of single-nucleotide polymorphism loci in paraffin embedded tumors using the MassEXTEND assay: single-nucleotide polymorphism loss of heterozygosity analysis of the protein tyrosine phosphatase receptor type J in familial colorectal cancer." *J Mol Diagn* **7**(5): 623-30.
- WEIDINGER, S., ET AL. (2005)** "Association study of mast cell chymase polymorphisms with atopy." *Allergy* **60**(10): 1256-61.
- WU, H., ET AL. (2005)** "Association analysis of the R620W polymorphism of protein tyrosine phosphatase PTPN22 in systemic lupus erythematosus families: increased T allele frequency in systemic lupus erythematosus patients with autoimmune thyroid disease." *Arthritis Rheum* **52**(8): 2396-402.
- ZHOU, X. F., ET AL. (2005)** "Polymorphisms in the promoter region of catalase gene and essential hypertension." *Dis Markers* **21**(1): 3-7.
- ZIPPERLEN, K., ET AL. (2005)** "Association of TNF-alpha polymorphisms in Crohn disease." *Hum Immunol* **66**(1): 56-9.

2004

- BINDER, E. B., ET AL. (2004)** "Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment." *Nat Genet* **36**(12): 1319-25.
- BUYSE, I. M., ET AL. (2004)** "Use of MALDI-TOF mass spectrometry in a 51-mutation test for cystic fibrosis: evidence that 3199del6 is a disease-causing mutation." *Genet Med* **6**(5): 426-30.



- DING, C., ET AL. (2004)** "MS analysis of single-nucleotide differences in circulating nucleic acids: Application to noninvasive prenatal diagnosis." *Proc Natl Acad Sci USA* **101**(29): 10762-7.
- DOWNES, K., ET AL. (2004)** "SNP allele frequency estimation in DNA pools and variance components analysis." *Biotechniques* **36**(5): 840-5.
- DUFFY, D. L., ET AL. (2004)** "Interactive effects of MC1R and OCA2 on melanoma risk phenotypes." *Hum Mol Genet* **13**(4): 447-61.
- FREEDMAN, M. L., ET AL. (2004)** "Assessing the impact of population stratification on genetic association studies" *Nat Genet* **36**(4):388-393.
- GOHLKE, H., ET AL. (2004)** "Association of the interleukin-1 receptor antagonist gene with asthma." *Am J Respir Crit Care Med* **169**(11): 1217-23.
- HAWN, T. R., ET AL. (2005)** "Toll-like receptor 4 polymorphisms are associated with resistance to Legionnaires' disease" *Proc Natl Acad Sci USA* **102**(7):2487-2489.
- JURINKE, C., ET AL. (2004)** "MALDI-TOF mass spectrometry: a versatile tool for high-performance DNA analysis." *Mol Biotechnol* **26**(2): 147-64.
- JUSTENHOVEN, C., ET AL. (2004)** "ERCC2 genotypes and a corresponding haplotype are linked with breast cancer risk in a German population." *Cancer Epidemiol Biomarkers Prev* **13**(12): 2059-64.
- KAMMERER, S., ET AL. (2004)** "Association of the *NuMA* region on chromosome 11q13 with breast cancer susceptibility" *Proc Natl Acad Sci USA* **102**(6):2004-2009.
- LUO, C., ET AL. (2004)** "High throughput SNP genotyping with two mini-sequencing assays." *Acta Biochim Biophys Sin (Shanghai)* **36**(6): 379-84.
- NAKAI, K., ET AL. (2004)** "Ethnic differences of coronary artery disease-associated SNPs in two Israeli healthy populations using MALDI-TOF mass spectrometry." *Life Sci* **75**(8): 1003-10.
- NELSON, M. R., ET AL. (2004)** "Large-scale validation of single nucleotide polymorphisms in gene regions." *Genome Res* **14**(8): 1664-8.



- NIU, T. AND Z. HU (2004)** "SNPicker: a graphical tool for primer picking in designing mutagenic endonuclease restriction assays." *Bioinformatics* **20**(17): 3263-5.
- SHI, J. Y., ET AL. (2004)** "Association between single nucleotide polymorphisms in deoxycytidine kinase and treatment response among acute myeloid leukaemia patients." *Pharmacogenetics* **14**(11): 759-68.
- SILANDER, K., ET AL. (2004)** "Genetic variation near the hepatocyte nuclear factor-4 alpha gene predicts susceptibility to type 2 diabetes." *Diabetes* **53**(4): 1141-9.
- SPEIRS, H. J., ET AL. (2004)** "Association of G-protein-coupled receptor kinase 4 haplotypes, but not HSD3B1 or PTP1B polymorphisms, with essential hypertension." *J Hypertens* **22**(5): 931-6.
- SPEIRS, H. J. AND B. J. MORRIS (2004)** "WNK4 intron 10 polymorphism is not associated with hypertension." *Hypertension* **43**(4): 766-8.
- TANTISIRA, K. G., ET AL. (2004)** "TBX21: A functional variant predicts improvement in asthma with the use of inhaled corticosteroids" *Proc Natl Acad Sci USA* **101**(52):18099-18104.
- WALLEY, A. J., ET AL. (2004)** "Interleukin-1 gene cluster polymorphisms and susceptibility to clinical malaria in a Gambian case-control study." *Eur J Hum Genet* **12**(2): 132-8.
- YALCIN, B. ET AL. (2004)** "Genetic dissection of a behavioral quantitative trait locus shows that *Rgs2* modulates anxiety in mice" *Nat Genet* **36**(11):1197-1202.

2003 and earlier

- ADAMS, G. T., ET AL. (2003)** "Genetic risk factors for cerebrovascular disease in children with sickle cell disease: design of a case-control association study and genomewide screen." *BMC Med Genet* **4**: 6.
- BANSAL, A., ET AL. (2002)** "Association testing by DNA pooling: an effective initial screen." *Proc Natl Acad Sci USA* **99**(26): 16871-4.
- BRAUN, A., ET AL. (2003)** "Technology challenges in screening single gene disorders." *Eur J Pediatr* **162** Suppl 1: S13-6.



- BUETOW, K. H., ET AL. (2001)** "High throughput development and characterization of a genomewide collection of gene-based single nucleotide polymorphism markers by chip-based matrix assisted laser desorption/ionization time-of-flight mass spectrometry" *Proc Natl Acad Sci USA* **98**(2):581-584.
- CASHMAN, J. R., ET AL. (2001)** "Population distribution of human flavin-containing monooxygenase form 3: gene polymorphisms." *Drug Metab Dispos* **29**(12): 1629-37.
- CUI, J., ET AL. (2003)** "Association of polymorphisms in the promoter region of the PNMT gene with essential hypertension in African Americans but not in whites." *Am J Hypertens* **16**(10): 859-63.
- DING, C. AND C. R. CANTOR (2003)** "Direct molecular haplotyping of long-range genomic DNA with M1-PCR." *Proc Natl Acad Sci USA* **100**(13): 7449-53.
- DOUGLAS, J. A., ET AL. (2001)** "The peroxisome proliferator-activated receptor-gamma2 Pro12A1a variant: association with type 2 diabetes and trait differences." *Diabetes* **50**(4): 886-90.
- FREKING, B. A., ET AL. (2002)** "Identification of the single base change causing the callipyge muscle hypertrophy phenotype, the only known example of polar overdominance in mammals." *Genome Res* **12**(10): 1496-506.
- GABRIEL, S. B., ET AL. (2002)** "The structure of haplotype blocks in the human genome." *Science* **296**(5576): 2225-9.
- GEESAMAN, B. J., ET AL. (2003)** "Haplotype based identification of a microsomal transfer protein marker associated with the human lifespan" *Proc Natl Acad Sci USA* **100**(24):14115-14120.
- HEATON, M. P., ET AL. (2002)** "Selection and use of SNP markers for animal identification and paternity analysis in U.S. beef cattle." *Mamm Genome* **13**(5): 272-81.
- HEATON, M. P., ET AL. (2001)** "Interleukin-8 haplotype structure from nucleotide sequence variation in commercial populations of U.S. beef cattle." *Mamm Genome* **12**(3): 219-26.



- HEATON, M. P., ET AL. (2001)** "Estimation of DNA sequence diversity in bovine cytokine genes." *Mamm Genome* **12**(1): 32-7.
- HERBON, N., ET AL. (2003)** "High-resolution SNP scan of chromosome 6p21 in pooled samples from patients with complex diseases." *Genomics* **81**(5): 510-8.
- JURINKE, C., ET AL. (2002)** "The use of MassARRAY technology for high throughput genotyping." *Adv Biochem Eng Biotechnol* **77**: 57-74.
- JURINKE, C., ET AL. (2002)** "Automated genotyping using the DNA MassArray technology." *Methods Mol Biol* **187**: 179-92.
- LATTARD, V., ET AL. (2003)** "Two new polymorphisms of the FMO3 gene in Caucasian and African-American populations: comparative genetic and functional studies." *Drug Metab Dispos* **31**(7): 854-60.
- LE HELLARD, S., ET AL. (2002)** "SNP genotyping on pooled DNAs: comparison of genotyping technologies and a semi automated method for data storage and analysis." *Nucleic Acids Res* **30**(15): e74.
- LEUSHNER, J. AND N. H. CHIU (2000)** "Automated mass spectrometry: a revolutionary technology for clinical diagnostics." *Mol Diagn* **5**(4): 341-8.
- MAKSYMOWYCH, W. P., ET AL. (2003)** "High-throughput single-nucleotide polymorphism analysis of the IL1RN locus in patients with ankylosing spondylitis by matrix-assisted laser desorption ionization-time-of-flight mass spectrometry." *Arthritis Rheum* **48**(7): 2011-8.
- MOHLKE, K. L., ET AL. (2002)** "High-throughput screening for evidence of association by using mass spectrometry genotyping on DNA pools." *Proc Natl Acad Sci USA* **99**(26): 16928-33.
- MOOTHA, V., ET AL. (2002)** "Identification of a gene causing human cytochrome c oxidase deficiency by integrative genomics" *Proc Natl Acad Sci USA* **100**(2): 605-610.
- NAKAI, K., ET AL. (2002)** "Highly multiplexed genotyping of coronary artery disease-associated SNPs using MALDI-TOF mass spectrometry." *Hum Mutat* **20**(2): 133-8.
- PAGE, B. T., ET AL. (2002)** "Evaluation of single-nucleotide polymorphisms in CAPN1 for association with meat tenderness in cattle." *J Anim Sci* **80**(12): 3077-85.



- PFEIFER, G. P., ET AL. (2002)** "Tobacco smoke carcinogens, DNA damage and p53 mutations in smoking-associated cancers." *Oncogene* **21**(48): 7435-51.
- REICH, D. E., ET AL. (2001)** "linkage disequilibrium in the human genome" *Nature* **411**:199-204.
- SABETI, P. C., ET AL. (2002)** "Detecting recent positive selection in the human genome from haplotype structure" *Nature* **419**:832-837.
- SHAM, P., ET AL. (2002)** "DNA Pooling: a tool for large-scale association studies." *Nat Rev Genet* **3**(11): 862-71.
- SKLAR, P., ET AL. (2002)**. "Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. Brain-derived neurotrophic factor." *Mol Psychiatry* **7**(6): 579-93.
- SILANDER, K., ET AL. (2003)** "Analysis of genetic variation in the GenomEU twin project." *Twin Res* **6**(5): 391-8.
- STORM, N., ET AL. (2003)** "MALDI-TOF mass spectrometry-based SNP genotyping." *Methods Mol Biol* **212**: 241-62.
- TANG, K., ET AL. (1999)** "Chip based genotyping by mass spectrometry" *Proc Natl Acad Sci USA* **96**: 10016-10020.
- WERNER, M., ET AL. (2002)** "Large-scale determination of SNP allele frequencies in DNA pools using MALDI-TOF mass spectrometry." *Hum Mutat* **20**(1): 57-64.
- WILTSHIRE, T., ET AL. (2003)** "Genome-wide single-nucleotide polymorphism analysis defines haplotype patterns in mouse." *Proc Natl Acad Sci USA* **100**(6): 3380-5.



2008

- EHRICH, M., ET AL. (2008)** "Cytosine methylation profiling of cancer cell lines" *Proc Natl Acad Sci USA* **105**(12) 4844-4849.
- HEIJMANS, B., ET AL. (2008)** "Persistent epigenetic differences associated with prenatal exposure to famine in humans" *Proc Natl Acad Sci USA* **105**(44) 17046-17049.
- IGARASHI, J., ET AL. (2008)** "Quantitative Analysis of human tissue-specific differences in methylation" *Biochem Biophys Res Comm* **376**(4) 658-664.
- PHILIBERT, R. A., ET AL. (2008)** "The relationship of *5HTT (SLC6A4)* methylation and genotype on mRNA expression and liability to major depression and alcohol dependence in subjects from the Iowa adoption studies" *Am J. Med Genet Part B* **147B**:543-549.
- SONG, F., ET AL. (2008)** "Tissue specific differentially methylated region (TDMR): Changes in DNA methylation during development" *Genomics* (ePub).
- WANG, S.-C., ET AL. (2008)** "Age-specific epigenetic drift in late-onset Alzheimer's disease" *PLOS One* **3**(7) e2698.
- WONG, N. C., ET AL. (2008)** "Archived Guthrie blood spots as a novel source for quantitative DNA methylation analysis" *Biotechniques* **45**(4):423-430.
- YAMADA, N., ET AL. (2008)** "MUC1 expression is regulated by DNA methylation and histone H3 lysine 9 modification in cancer cells" *Cancer Res* **68**(8):2708-2716.

2007

- AGRAWAL, S., ET AL. (2007)** "The C/EBP δ tumor suppressor is silenced by hypermethylation in acute myeloid leukemia." *Blood* **109**(9):3895-3905.
- BENNETT, K. I., ET AL. (2007)** "Tumor suppressor activity of CCAAT/Enhancer Binding Protein α is epigenetically down-regulated in head and neck squamous cell carcinoma." *Cancer Res* **67**(10): 4657-64.
- CHUNG, I., ET AL. (2007)** "Epigenetic silencing of CYP24 in tumor-derived endothelial cells contributes to selective growth inhibition by calcitriol." *J Biol Chem* **282**(12): 8704-14.



- COOLEN M.W., ET AL. (2007)** "Genomic profiling of CpG methylation and allelic specificity using quantitative high-throughput mass spectrometry: critical evaluation and improvements." *Nucleic Acids Res.* ePub 1-14.
- EHRICH, M., ET AL. (2007)** "A new method for accurate assessment of DNA quality after bisulfite treatment." *Nucleic Acids Res* **35**(5): e29.
- HEIJMANS, B., ET AL. (2007)** "Heritable rather than age-related environmental and stochastic factors dominate variation in DNA methylation of the human IGF2/H19 locus" *Hum Mol Genet* **16**(5):547-54.
- LINHART, H. G., ET AL. (2007)** "Dnmt3b promotes tumorigenesis in vivo by gene-specific de novo methylation and transcriptional silencing" *Genes Dev* **21**(3):3110-3122.
- MUELLER, W., ET AL. (2007)** "Downregulation of RUNX3 and TES by hypermethylation in glioblastoma" *Oncogene* **26**:583-593.
- RAVAL, A., ET AL. (2007)** "Downregulation of *Death-Associated Protein Kinase 1* (*DAPK1*) in chronic lymphocytic leukemia." *Cell* **129**: 879-90.
- RICHTER, E., ET AL. (2007)** "A role for DNA methylation in regulating the growth suppressor *PMEPA1* gene in prostate cancer." *Epigenetics* **2**(2): 100-105.
- SCHMIDT, K. (2007)** "Lamarckism Revisited: Epigenetics and its Implications for Modern Health Care" *Next Gen Pharmaceut.*
- SMITH, J.F., ET AL. (2007)** "Identification of DNA Methylation in 3' Genomic Regions that are Associated with Upregulation of Gene Expression in Colorectal Cancer" *Epigenetics* **2**(3) e1-12.
- TAN, J., ET AL. (2007)** "Pharmacologic disruption of Polycomb-repressive complex2-mediated gene repression selectively induces apoptosis in cancer cells" *Genes Dev* **21**:1050-1063.



2006 and earlier

EHRICH, M., ET AL. (2006) "Cytosine methylation profiles as a molecular marker in non-small cell lung cancer" *Cancer Res* **66**(22): 10911-8.

EHRICH, M., ET AL. (2005) "Quantitative high-throughput analysis of DNA methylation patterns by base-specific cleavage and mass spectrometry" *Proc Natl Acad Sci USA* **102**(44): 15785-90.

JURINKE, C., ET AL. (2005) "A single nucleotide polymorphism based approach for the identification and characterization of gene expression modulation using MassARRAY" *Mutat Res* **573**(1-2): 83-95.



2008

ASARE, A. L., ET AL. (2008) "Differential gene expression profiles are dependent upon method of peripheral blood collection and RNA isolation" *BMC Genomics* **9**(474).

2007

TURAKULOV, R., ET AL. (2007) "Ultrasensitive Determination of Absolute mRNA Amounts at Attomole Levels of Nearly Identical Plant Genes with High-Throughput Mass Spectrometry (MassARRAY)." *Plant Cell Physiol.* **48**(9):1379-84.

2006

AU, W. Y., ET AL. (2006) "Glucose-6-phosphate dehydrogenase deficiency in female octogenarians, nanogenarians, and centenarians." *J Gerontol A Biol Sci Med Sci* **61**(10): 1086-9.

2005

ATIENZA, J. M., ET AL. (2005) "Suppression of RAD21 gene expression decreases cell growth and enhances cytotoxicity of etoposide and bleomycin in human breast cancer cells." *Mol Cancer Ther* **4**(3): 361-8.

ELVIDGE, G. P., ET AL. (2005) "Development and evaluation of real competitive PCR for high-throughput quantitative applications." *Anal Biochem* **339**(2): 231-41.

JURINKE, C., ET AL. (2005) "A single nucleotide polymorphism based approach for the identification and characterization of gene expression modulation using MassARRAY." *Mutat Res* **573**(1-2): 83-95.

KAMMERER, S., ET AL. (2005) "Association of the NuMA region on chromosome 11q13 with breast cancer susceptibility." *Proc Natl Acad Sci U S A* **102**(6): 2004-9.

MCCULLOUGH, R. M., ET AL. (2005) "High-throughput alternative splicing quantification by primer extension and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry." *Nucleic Acids Res* **33**(11): e99.

ROSETTE, C., ET AL. (2005) "Role of ICAM1 in invasion of human breast cancer cells." *Carcinogenesis* **26**(5): 943-50.



YANG, H., ET AL. (2005) "Sensitive detection of human papillomavirus in cervical, head/neck, and schistosomiasis-associated bladder malignancies." *Proc Natl Acad Sci USA* **102**(21): 7683-8.

2004

DING, C., ET AL. (2004) "Simultaneous quantitative and allele-specific expression analysis with real competitive PCR." *BMC Genet* **5**: 8.

DING, C. AND C. R. CANTOR (2004) "Quantitative analysis of nucleic acids--the last few years of progress." *J Biochem Mol Biol* **37**(1): 1-10.

HACKING, D., ET AL. (2004) "Increased in vivo transcription of an IL-8 haplotype associated with respiratory syncytial virus disease-susceptibility." *Genes Immun* **5**(4): 274-82.

KAMMERER, S., ET AL. (2004) "Large-scale association study identifies ICAM gene region as breast and prostate cancer susceptibility locus." *Cancer Res* **64**(24): 8906-10.

KNIGHT, J. C., ET AL. (2004) "Allele-specific repression of lymphotoxin-alpha by activated B cell factor-1." *Nat Genet* **36**(4): 394-9.

STEGMAIER, K., ET AL. (2004) "Gene expression based high-throughput screening (GE-HTS) and application to leukemia differentiation" *Nat Genet* **36**(3):257-263.

TANG, K., ET AL. (2004) "Mining disease susceptibility genes through SNP analyses and expression profiling using MALDI-TOF mass spectrometry." *J Proteome Res* **3**(2): 218-27.

2003 and earlier

AMEXIS, G., ET AL. (2001) "Quantitative mutant analysis of viral quasispecies by chip-based matrix-assisted laser desorption/ ionization time-of-flight mass spectrometry." *Proc Natl Acad Sci USA* **98**(21): 12097-102

DING, C. AND C. R. CANTOR (2003) "A high-throughput gene expression analysis technique using competitive PCR and matrix-assisted laser desorption ionization time-of-flight MS." *Proc Natl Acad Sci USA* **100**(6): 3059-64.

GENE EXPRESSION ANALYSIS



KNIGHT, J. C., ET AL. (2003) "In vivo characterization of regulatory polymorphisms by allele-specific quantification of RNA polymerase loading." *Nat Genet* **33**(4): 469-75.

YAN, H., ET AL. (2002) "Allelic variation in human gene expression." *Science* **297**(5584): 1143.



2008

APPLEBEE, M. K., ET AL. (2008) "Impact of individual mutations on increased fitness in adaptively evolved strains of *Escherichia coli*" *J Bact* **190**(14) 5087-5094.

2007

HONISCH, C., ET AL. (2007) "Automated comparative sequence analysis by base-specific cleavage and mass spectrometry for nucleic acid-based microbial typing." *Proc Natl Acad Sci USA* **104**(25): 10649-54.

2006

HERRING, C. D., ET AL. (2006) "Comparative genome sequencing of *Escherichia coli* allows observation of bacterial evolution on a laboratory timescale." *Nat Genet* **38**(12): 1406-12.

STURENBURG, E., ET AL. (2006) "Detection and genotyping of SHV beta-lactamase variants by mass spectrometry after base-specific cleavage of in vitro-generated RNA transcripts." *J Clin Microbiol* **44**(3): 909-15.

2005

EHRICH, M., ET AL. (2005) "Multiplexed discovery of sequence polymorphisms using base-specific cleavage and MALDI-TOF MS." *Nucleic Acids Res* **33**(4): e38.

LIU, J., ET AL. (2005) "SARS transmission pattern in Singapore reassessed by viral sequence variation analysis." *PLoS Med* **2**(2): e43.

2004 and earlier

AMEXIS, G., ET AL. (2001) "Quantitative mutant analysis of viral quasispecies by chip-based matrix-assisted laser desorption/ ionization time-of-flight mass spectrometry." *Proc Natl Acad Sci USA* **98**(21): 12097-102.

BOCKER, S. (2003) "SNP and mutation discovery using base-specific cleavage and MALDI-TOF mass spectrometry." *Bioinformatics* **19 Suppl 1**: i44-53.



- HARTMER, R., ET AL. (2003)** "RNase T1 mediated base-specific cleavage and MALDI-TOF MS for high-throughput comparative sequence analysis." *Nucleic Acids Res* **31**(9): e47.
- HONISCH, C., ET AL. (2004)** "High-throughput mutation detection underlying adaptive evolution of *Escherichia coli*-K12." *Genome Res* **14**(12): 2495-502.
- LEFMANN, M., ET AL. (2004)** "Novel mass spectrometry-based tool for genotypic identification of mycobacteria." *J Clin Microbiol* **42**(1): 339-46.
- SHCHEPINOV, M. S., ET AL. (2001)** "Matrix-induced fragmentation of P3'-N5' phosphoramidate-containing DNA: high-throughput MALDI-TOF analysis of genomic sequence polymorphisms." *Nucleic Acids Res* **29**(18): 3864-72.
- SMYLIE, K. J., ET AL. (2004)** "Analysis of sequence variations in several human genes using phosphoramidite bond DNA fragmentation and chip-based MALDI-TOF." *Genome Res* **14**(1): 134-41.
- STANSSENS, P., ET AL. (2004)** "High-throughput MALDI-TOF discovery of genomic sequence polymorphisms." *Genome Res* **14**(1): 126-33.
- VON WINTZINGERODE, ET AL. (2002)** "Base-specific fragmentation of amplified 16S rRNA genes analyzed by mass spectrometry: a tool for rapid bacterial identification." *Proc Natl Acad Sci USA* **99**(10): 7039-44.

